Produktdatenblatt

DEKO-LIGHT
ELEKTRONIK VERTRIEBS GMBH

Artikel Nr.: 836016

Dekorative Leuchte, Kugelleuchte Terracotta 45, 220-240V AC/50-60Hz, 1x max. 23,00 W

kapego

Technische Daten

Charakteristik

Material	Polyethylen (LLDPE)
Farbe	
Optik	Terracotta
im Lieferumfang	3,0 m Anschlusskabel mit Stecker IP 44

Elektrische Daten

Leistung	1x max. 23,00 W
Eingangsspannung	220-240V AC/50-60Hz
Eingangsstrom	
Fassung / Sockel	E27
Anzahl Sockel	1
Netzgerät	
Anschlussmöglichkeit	Netzstecker
Schutzklasse I, II, III	II

© 2014 Deko-Light Elektronik-Vertriebs GmbH
Alle Rechte vorbehalten.
www.deko-light.com
deko@deko-light.com

23.10.2017
Technische Daten können ohne Vorankündigung geändert werden. Irrtümer vorbehalten.

DEKO-LIGHT
ELEKTRONIK VERTRIEBS GMBH

Artikel Nr.: 836016

Dekorative Leuchte, Kugelleuchte Terracotta 45, 220-240V AC/50-60Hz, 1x max. 23,00 W

kapego



Lichtrichtung

Dreh- und Schwenkbereich	feststehend
Neigungswinkel	
Abstrahlverhalten	
Reflektor / Linse	

Abmessungen und Gewicht

Länge	
Breite	
Höhe	420 mm
Durchmesser	450 mm
Gewicht	2930 g

Grenzwerte

Betriebstemperatur	-20°C - +40°C
Lagertemperatur	-10°C - +60°C
IP - Schutzart	IP 65

EEI	Die Leuchte ist geeignet für Leuchtmittel der Energieeffizienzklassen A++ bis E
IP 65	Schutz gegen das Eindringen von Staub. (Staubdicht) Geschützt gegen Strahlwasser.
	Leuchte der Schutzklasse II bei der der Schutz gegen elektrischen Schlag nicht allein auf der Basisisolierung beruht, sondern zusätzliche Sicherheitsvorkehrungen wie zusätzliche oder verstärkte Isolierung vorgesehen sind. Es sind weder Vorkehrungen für den Anschluss eines Schutzleiters vorhanden, noch beruht der Schutz auf den Einrichtungsbedingungen.
	Aufgrund des komplexen Herstellungsprozesses von LED stellen die angegebenen Werte nur rein statistische Größen dar und müssen nicht zwingend den tatsächlichen Parametern jedes einzelnen LED-Moduls entsprechen, sondern können von den typischen Werten abweichen.

© 2014 Deko-Light Elektronik-Vertriebs GmbH
Alle Rechte vorbehalten.
www.deko-light.com
deko@deko-light.com

Produktdatenblatt

DEKO-LIGHT
ELEKTRONIK VERTRIEBS GMBH

Article no.: 836016

Decorative lamp, Bowl Light terracotta 45, 220-240V AC/50-60Hz, 1x max. 23,00 W

kapego

Technical Data

General Characteristics

Material	polyethylene
Colour	
Optics	terracotta
included in delivery	3,0 m connecting cable with plug IP 44

Electrical Characteristics

Power	1x max. 23,00 W
Input Voltage	220-240V AC/50-60Hz
Input current	
Base (standard designation)	E27
Number of Bases	1
Power supply unit	
Connection possibility	Powerplug
Protection class I, II, III	II

© 2014 Deko-Light Elektronik-Vertriebs GmbH
All rights reserved.
www.deko-light.com
deko@deko-light.com

23.10.2017
Errors and technical data are subject to change without notice.

DEKO-LIGHT
ELEKTRONIK VERTRIEBS GMBH

Article no.: 836016

Decorative lamp, Bowl Light terracotta 45, 220-240V AC/50-60Hz, 1x max. 23,00 W

kapego



Light Direction

Rotating and tilting range	fixed
Angle of inclination	
Radiation direction	
Reflector / lense	

Dimensions & Weight

Length	
Width	
Height	420 mm
Diameter	450 mm
Product Weight	2930 g

Absolute maximum ratings

Working temperature	-20°C - +40°C
Storage temperature	-10°C - +60°C
IP - Code	IP 65

EEI	The luminaire is suitable for lamps of energy efficiency classes A++ to E.
IP 65	Protection against penetration of dust. (complete dust protection) Protection against penetration of water jets.
	Lightings of Protection Class II in which the protection against electric shock is not based solely on the insulation, but additional safety precautions such as additional or reinforced insulation are provided. There are no provisions for the connection of an equipment grounding conductor exists, yet underlying the protection of the facility conditions.
	Because of the complex manufacturing process of the LED the above shown data are just a statistical size, which is not forced to be the realistic data of every LED.

© 2014 Deko-Light Elektronik-Vertriebs GmbH
All rights reserved.
www.deko-light.com
deko@deko-light.com